SAFETY DATA SHEET

Version 4.9 Revision Date 07/25/2018

.1	Product identifiers Product name	:	Benzyl acetate		
	Product Number	:	B15805		
	Brand	·	Aldrich		
	CAS-No.	:	140-11-4		
	Relevant identified uses	of the s	substance or mixture and uses advised against		
	Identified uses	:	Laboratory chemicals, Synthesis of substances		
	Details of the supplier of Company	the sat	fety data sheet Consolidated Chemical & Solvents, LLC 2240 Spinnerstown Road Quakertown, PA 18951		
	Telephone	:	215-538-4039		
	Emergency telephone number				
	Emergency Phone #	:	+1-703-527-3887 (CHEMTREC)		
. H	AZARDS IDENTIFICATION	١			
	Classification of the substance or mixture				
	Classification of the subs	stance	or mixture		
		cordan egory 2	ce with 29 CFR 1910 (OSHA HCS)), H401		
	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Ca	cordan egory 2 ategory	ce with 29 CFR 1910 (OSHA HCS)), H401		
	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Ca For the full text of the H-Sta	cordan egory 2 ategory atemen	ce with 29 CFR 1910 (OSHA HCS)), H401 7 3), H412		
	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Ca For the full text of the H-Sta	cordan egory 2 ategory atemen	ce with 29 CFR 1910 (OSHA HCS)), H401 3), H412 hts mentioned in this Section, see Section 16.		
2	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Ca For the full text of the H-St GHS Label elements, incl	cordan egory 2 ategory atemen	ce with 29 CFR 1910 (OSHA HCS)), H401 3), H412 hts mentioned in this Section, see Section 16. precautionary statements		
-	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Ca For the full text of the H-Sta GHS Label elements, incl Pictogram	cordan egory 2 ategory atemen	ce with 29 CFR 1910 (OSHA HCS)), H401 73), H412 hts mentioned in this Section, see Section 16. precautionary statements none		
-	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate For the full text of the H-Sta GHS Label elements, incl Pictogram Signal word Hazard statement(s) H401	cordan egory 2 ategory atemen luding	ce with 29 CFR 1910 (OSHA HCS)), H401 ' 3), H412 its mentioned in this Section, see Section 16. precautionary statements none none Toxic to aquatic life.		
-	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate For the full text of the H-Sta GHS Label elements, incl Pictogram Signal word Hazard statement(s) H401 H412 Precautionary statement P273 P501	cordan egory 2 ategory atemen luding	ce with 29 CFR 1910 (OSHA HCS)), H401 '3), H412 its mentioned in this Section, see Section 16. precautionary statements none none Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Avoid release to the environment.		
2	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate For the full text of the H-Sta GHS Label elements, incl Pictogram Signal word Hazard statement(s) H401 H412 Precautionary statement P273 P501	cordan egory 2 ategory atemen luding (s) assifie	ce with 29 CFR 1910 (OSHA HCS)), H401 3), H412 its mentioned in this Section, see Section 16. precautionary statements none none Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Avoid release to the environment. Dispose of contents/ container to an approved waste disposal plant. d (HNOC) or not covered by GHS - none		
<u>2</u> 3 3. C	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate For the full text of the H-Sta GHS Label elements, incl Pictogram Signal word Hazard statement(s) H401 H412 Precautionary statement P273 P501 Hazards not otherwise cl	cordan egory 2 ategory atemen luding (s) assifie	ce with 29 CFR 1910 (OSHA HCS)), H401 3), H412 its mentioned in this Section, see Section 16. precautionary statements none none Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Avoid release to the environment. Dispose of contents/ container to an approved waste disposal plant. d (HNOC) or not covered by GHS - none		
2	GHS Classification in acc Acute aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate Chronic aquatic toxicity (Cate For the full text of the H-Sta GHS Label elements, incl Pictogram Signal word Hazard statement(s) H401 H412 Precautionary statement P273 P501 Hazards not otherwise cl COMPOSITION/INFORMATICS	cordan egory 2 ategory atemen luding (s) assifie	ce with 29 CFR 1910 (OSHA HCS)), H401 · 3), H412 its mentioned in this Section, see Section 16. precautionary statements none none Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Avoid release to the environment. Dispose of contents/ container to an approved waste disposal plant. d (HNOC) or not covered by GHS - none NINGREDIENTS		

CAS-No.	:	140-11-4
EC-No.	:	205-399-7
Registration number	:	01-2119638272-42-XXXX

Hazardous components

Component	Classification	Concentration
Benzyl acetate		
	Aquatic Acute 2; Aquatic Chronic 3; H401, H412	90 - 100 %
and had full to state at the still Otate as a state of	antioned in this Section and Section 16	1

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture No data available

5.3 Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed in a dry and well-ventilated place. Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis
			parameters	
Benzyl acetate	140-11-4	TWA	10 ppm	USA. ACGIH Threshold Limit Values
				(TLV)
	Remarks	Upper Respi	ratory Tract irritatio	on
		Not classifiable as a human carcinogen		
		PEL	10 ppm	California permissible exposure
			61 mg/m3	limits for chemical contaminants
			-	(Title 8, Article 107)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 57 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

	a)	Appearance	Form: clear, liquid Colour: colourless
	b)	Odour	No data available
	c)	Odour Threshold	No data available
	d)	рН	No data available
	e)	Melting point/freezing point	Melting point/range: -51 °C (-60 °F) - lit.
	f)	Initial boiling point and boiling range	206 °C (403 °F) - lit.
	g)	Flash point	95 °C (203 °F) - closed cup
	h)	Evaporation rate	No data available
i) Flammability (solid, gas) No data available		No data available	
	j)	Upper/lower flammability or explosive limits	No data available
	k)	Vapour pressure	31 hPa (23 mmHg) at 110 °C (230 °F)
	I)	Vapour density	No data available
	m)	Relative density	1.054 g/cm3 at 25 °C (77 °F)
	n)	Water solubility	0.0001 g/l - slightly soluble
	o)	Partition coefficient: n- octanol/water	log Pow: 1.96 at 25 °C (77 °F)
	p)	Auto-ignition temperature	460 °C (860 °F)
	q)	Decomposition temperature	No data available
	r)	Viscosity	No data available
	s)	Explosive properties	No data available
	t)	Oxidizing properties	No data available
9.2		safety information Ita available	

10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** No data available

10.5 Incompatible materials Strong oxidizing agents, acids, Bases, Reducing agents

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 401)

LCLo Inhalation - Rat - male and female - 4 h - > 0.766 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - > 5,000 mg/kg

No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (Directive 67/548/EEC, Annex V, B.4.)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (Directive 67/548/EEC, Annex V, B.5.)

Respiratory or skin sensitisation No data available

Germ cell mutagenicity Ames test S. typhimurium Result: negative

Rat - male Result: negative

Carcinogenicity

Carcinogenicity - Rat - Oral Tumorigenic:Neoplastic by RTECS criteria. Gastrointestinal:Tumors.

Carcinogenicity - Mouse - Oral Tumorigenic:Neoplastic by RTECS criteria. Liver:Tumors.

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

Repeated dose Rat - male and female - Oral - 14 h - NOAEL : 500 mg/kg toxicity RTECS: AF5075000

narcosis, Central nervous system depression, Nausea, Vomiting

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	flow-through test LC50 - Oryzias latipes - 4 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	Immobilization EC50 - Daphnia magna (Water flea) - 17 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	Growth inhibition EC50 - Desmodesmus subspicatus (green algae) - 110 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability Biodegradability aerobic - Exposure time 28 d Result: 100 % - Readily biodegradable. (OECD Test Guideline 301B)

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US) Not dangerous goods

ΙΑΤΑ

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Benzyl acetate	CAS-No. 140-11-4	Revision Date 1993-02-16
Benzyl acetate	CAS-No. 140-11-4	Revision Date 1993-02-16
New Jersey Right To Know Components		
Benzyl acetate	CAS-No. 140-11-4	Revision Date 1993-02-16

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Aquatic Acute	Acute aquatic toxicity
Aquatic Chronic	Chronic aquatic toxicity
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. CCS, LLC and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.