

Consolidated Chemicals & Solvents LLC

SAFETY DATA SHEET

ISOAMYL ALCOHOL NATURAL

Revision Date: 10-20-2023 Page 1 of 12

Version # 02 Print Date: 10-20-2023

1. IDENTIFICATION

Product Description: ISOAMYL ALCOHOL NATURAL

CAS# 125-51-3

Concentrated aromatic and flavor ingredient which may be used in flavor and fragrance

Recommended use compounds according to legal and IFRA or FEMA GRAS/FDA guidelines.

Recommended restrictions For Manufacturing Use Only

<u>Company</u> <u>24 Hour Emergency Response Information</u>

Consolidated Chemicals & Solvents INFOTRAC (ACCT# 78928);

 405 business park lane
 1-800-535-5053 WITHIN THE U.S.A.

 Allentown PA 18109
 1-352-323-3500 OUTSIDE THE U.S.A.

customersvc@consolidated-chemical.com
Web Site: www.consolidated-chemical.com

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Consolidated Chemicals & Solvents

Address 405 business park lane
Quakertown PA 18055

United States

Website www.consolidated-E-mail chemical.com

Chemtrec

Emergency phone number 703-527-3887

2. HAZARD(S) IDENTIFICATION

Physical hazardsFlammable liquidsCategory 3Health hazardsAcute toxicity, oralCategory 4

Acute toxicity, dermal

Acute toxicity, inhalation

Category 4

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

Category 1

Specific target organ toxicity, single Category 3 respiratory tract irritation


exposure

Specific target organ toxicity, single

exposure

Category 3 narcotic effects

Environmental hazards Not classified.



SAFETY DATA SHEET

ISOAMYL ALCOHOL NATURAL

Revision Date: 10-20-2023 Page 2 of 12

Version # 02 Print Date: 10-20-2023

Label elements



Signal word Danger

Hazard statement Flammable liquid and vapor. May be harmful if swallowed. Causes skin irritation. Causes serious

eye damage. May cause respiratory irritation.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye

protection/face protection.

Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF

INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire:

Use appropriate media to extinguish.

Storage Keep cool. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Supplemental information

None known.

22.5% of the mixture consists of component(s) of unknown long-term hazards to the aquatic

environment.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ISOAMYL ALCOHOL	iso-pentanol iso-butyl carbinol 3-Methylbutan-1-ol 2-METHYL-4-BUTANOL	123-51-3	65 - < 90
2-METHYLBUTAN-1-OL	2- methylbutan-1-ol sec-butyl carbinol 2- methyl butyl alcohol 1-Butanol, 2-methyl-	137-32-6	15 - < 25

4. FIRST-AID MEASURES

Inhalation

If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing. For breathing difficulties, oxygen may be necessary. Call a physician if symptoms develop or persist.



Revision Date: 10-20-2023 Page 3 of 12

Print Date: 10-20-2023 Version # 02

Skin contact Take off immediately all contaminated clothing. Get medical attention if irritation develops and

persists. Wash skin thoroughly with soap and water for several minutes.

Eye contact Remove contact lenses, if present and easy to do. Get medical attention if irritation develops and

persists. Promptly wash eyes with plenty of water while lifting the eye lids.

Call a physician or poison control center immediately. If swallowed, rinse mouth with water (only if Ingestion

the person is conscious). Do not induce vomiting. If vomiting occurs, the head should be kept low

so that stomach vomit doesn't enter the lungs.

Most important

symptoms/effects, acute and

delayed

Headache. Dizziness. Nausea, vomiting. Diarrhea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Coughing. Skin irritation. May cause

redness and pain.

Not available.

Indication of immediate medical attention and special treatment

needed

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from

the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Water spray, fog, CO2, dry chemical, or alcohol resistant foam.

Do not use a solid water stream as it may scatter and spread fire.

Fire may produce irritating, corrosive and/or toxic gases.

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. Wear self-contained breathing apparatus with a full

facepiece operated in the positive pressure demand mode when fighting fires.

In case of fire and/or explosion do not breathe fumes. Use standard firefighting procedures and consider the hazards of other involved materials. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Ventilate closed spaces before entering them. Keep run-off water out of sewers and water sources. Dike for water control.

Use water spray to cool unopened containers.

Static charges generated by emptying package in or near flammable vapor may cause flash fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Eliminate all sources of ignition. Avoid contact with skin or inhalation of spillage, dust or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them.



Revision Date: 10-20-2023 Page 4 of 12

Version # 02 Print Date: 10-20-2023

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps.

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. This material and its container must be disposed of as hazardous waste. Collect and dispose of spillage as indicated in section 13 of the SDS.

Environmental precautions

Retain and dispose of contaminated wash water. Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water.

7. HANDLING AND STORAGE

Precautions for safe handling

Do not handle or store near an open flame, heat or other sources of ignition. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Avoid breathing vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Wash thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Keep container closed. Handle containers with care. Open slowly in order to control possible pressure release. Store in a cool, well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	, Value	
ISOAMYL ALCOHOL (CAS 123-51-3)	PEL	360 mg/m3	
		100 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	
ISOAMYL ALCOHOL (CAS 123-51-3)	STEL	125 ppm	
	TWA	100 ppm	
US. NIOSH: Pocket Guide to Chemi	cal Hazards		
Components	Туре	Value	
ISOAMYL ALCOHOL (CAS	STEL	450 mg/m3	

123-51-3)



Revision Date: 10-20-2023 Page 5 of 12

Version # 02 Print Date: 10-20-2023

US. NIOSH: Pocket Guide to Chemical Hazards

 Components
 Type
 Value

 125 ppm

TWA 360 mg/m3 100 ppm

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

should be provided so that exposure limits are not exceeded.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Skin protection

Hand protection Chemical resistant gloves.

Other Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations When using do not smoke. Keep away from food and drink. Always observe good personal

hygiene measures, such as washing after handling the material and before eating, drinking, and/or

smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Refer to Spec Sheet

Physical state Liquid.
Form Liquid.

Color Refer to Spec Sheet

Odor Characteristic.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point 102.0 °F (38.9 °C) Closed Cup

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.



Revision Date: 10-20-2023 Page 6 of 12

Version # 02 Print Date: 10-20-2023

Vapor pressure 2 mm Hg at 25 °C

Vapor density 3.1

Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties

Molecular formula

C5H12O

Molecular weight

88.15 g/mol

Oxidizing properties

Not oxidizing.

Specific gravity

0.81 at 25 °C

10. STABILITY AND REACTIVITY

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products if stored and handled as indicated.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation May cause irritation to the respiratory system. Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye damage.

Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Headache. Dizziness. Nausea, vomiting. Diarrhea. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation. Coughing. Skin irritation. May cause

redness and pain.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. May be harmful if swallowed.



Revision Date: 10-20-2023 Page 7 of 12

Version # 02 Print Date: 10-20-2023

Components Species Test Results

ISOAMYL ALCOHOL (CAS 123-51-3)

Acute

Dermal

LD50 Rabbit 3970 mg/kg

Oral

LD50 Rabbit 3400 mg/kg

Rat 1300 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. ECOLOGICAL INFORMATION

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components Species Test Results

2-METHYLBUTAN-1-OL (CAS 137-32-6)

Acute

Algae EC50 Green algea (Pseudokirchneriella > 353 mg/l, 72 hours

subcapitata)



Revision Date: 10-20-2023 Page 8 of 12

Version # 02 Print Date: 10-20-2023

Components		Species	Test Results	
Aquatic				
Acute				
Crustacea	EC50	Daphnia magna	> 173 mg/l, 48 hours	
Fish	LC50	Danio rerio	> 120 mg/l, 96 hours	
ISOAMYL ALCOHOL	(CAS 123-51-3)			
Aquatic				
Acute				
Algae	LC50	Green algae (Desmodesmus subspicatus)	490 mg/l, 72 hours	
Crustacea	EC50	Daphnia magna	260 mg/l, 48 hours	

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-METHYLBUTAN-1-OL 1.29
ISOAMYL ALCOHOL 1.16

Mobility in soil No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. DISPOSAL CONSIDERATIONS

Disposal instructionsDo not discharge into drains, water courses or onto the ground. Do not allow this material to drain

into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or

used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code Not established.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must

be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. TRANSPORT INFORMATION

ADN

UN number 1105

UN proper shipping name PENTANOLS

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards No
Labels required 3



Revision Date: 10-20-2023 Page 9 of 12

Version # 02 Print Date: 10-20-2023

ADR

UN number 1105

UN proper shipping name PENTANOLS

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards No
Labels required 3

RID

UN number 1105

UN proper shipping name PENTANOLS

Transport hazard class(es) 3
Subsidiary class(es) Packing Group III
Environmental Hazards No
Labels required 3

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT

BULK

UN number 1105

Proper shipping name PENTANOLS

Hazard class 3
Packing group III

Environmental hazards

Marine pollutantNoPackaging exceptions150Packaging bulk242Labels required3

DOT

NON-BULK

Not regulated as dangerous goods.

IATA

UN number 1105

UN proper shipping name PENTANOLS

Transport hazard class(es) 3
Subsidiary class(es) Packing group III
Environmental hazards No
Labels required 3

IMDG

UN number 1105

UN proper shipping name PENTANOLS

Transport hazard class(es) 3
Subsidiary class(es) -



Revision Date: 10-20-2023 Page 10 of 12

Version # 02 Print Date: 10-20-2023

Packing group

Environmental hazards

Marine pollutant No Labels required 3

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

ADN; ADR; DOT BULK; IATA; IMDG; RID



15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not available.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

Flammable (gases, aerosols, liquids, or solids)

categories Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Classified hazard

Not regulated.



Revision Date: 10-20-2023 Page 11 of 12

Version # 02 Print Date: 10-20-2023

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

Inventory name

(SDWA)

US state regulations

California Proposition 65

California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed

International Inventories

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Toxic Chemical Substances (TCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

On inventory (yes/no)*

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

 Issue date
 08-23-2017

 Revision date
 10-20-2023

Version # 02


HMIS® ratings Health: 3*

Flammability: 2 Physical hazard: 0

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



SAFETY DATA SHEET

ISOAMYL ALCOHOL NATURAL

Revision Date: 10-20-2023 Page 12 of 12

Version # 02 Print Date: 10-20-2023

Disclaimer

Consolidated Chemicals and Solvents LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, and disposal and should not be considered as a guarantee or quality specification. This product has not been evaluated for safe use in e-cigarettes or any vaping application where the product(s) is/are intentionally vaporized and inhaled. Consolidated Chemicals and Solvents LLC has performed no testing on these products in e-cig/vaping applications. It is the sole responsibility of the individual(s) purchasing this product to assess its' safety in the final application. The above information relates only to this product and not to its use in combination with any other material or any particular process and is designed only as guidance for the safe handling, use, processing, storage, transportation, disposal, and should not be considered as a quarantee or quality specification. The above information is based on data provided by and collected from recognized sources such as distributors, manufacturers, and technical groups and is considered to be accurate to the best of Vigon's knowledge as of the date of this document. It is the responsibility of the user to review all safety information about this product and determine its safety and suitability in their own processes and operations. Appropriate warnings and safe handling procedures should be provided to all handlers and users, taking into account the intended use and the specific conditions and factors relating to such use in accordance with all applicable laws and regulations.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.