SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

| | Product name | [:] Propionic acid | |
|-----|--|--|--|
| | Product Number Brand Index-No. CAS-No. | : 402907 : Sigma-Aldrich : 607-089-00-0 : 79-09-4 | |
| 1.2 | 2 Relevant identified uses of the substance or mixture and uses advised agains | | |
| | Identified uses | : Laboratory chemicals, Synthesis of substances | |
| 1.3 | Details of the supplier Company | of the safety data sheet : Consolidated Chemical & Solvents, LLC 405 Business Park Lane Allentown, PA 18109 | |

Telephone : 484-460-2644

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Hazard statement(s) H226

Flammable liquid and vapour.

| H314 H335 | Causes severe skin burns and eye damage. May cause respiratory irritation. |
|------------------------------|---|
| Precautionary statement(s) | |
| P210 | Keep away from heat/sparks/open flames/hot surfaces. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ ventilating/ lighting equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. |
| P264 | Wash skin thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/ protective clothing/ eye protection/ face protection. |
| P301 + P330 + P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| P303 + P361 + P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| P304 + P340 + P310 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor. |
| P305 + P351 + P338 + P310 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. |
| P363 | Wash contaminated clothing before reuse. |
| P370 + P378 | In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. |
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/ container to an approved waste disposal plant. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS Rapidly absorbed through skin.

SECTION 3: Composition/information on ingredients

| 1 | Substances Synonyms | : Propanoic acid Propanyl acid Acid C3 | | |
|---|---|---|---|---------------|
| | Formula Molecular weight CAS-No. EC-No. Index-No. | : C ₃ H ₆ O ₂ : 74.08 g/mol : 79-09-4 : 201-176-3 : 607-089-00-0 | | |
| | Component | | Classification | Concentration |
| | Propionic acid | | | |
| | | | Flam. Liq. 3; Skin Corr. 1B; Eye Dam. 1; STOT SE | <= 100 % |

| 3; H226, H314, H318, | |
|----------------------|--|
| H335 | |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

Unsuitable extinguishing media Do NOT use water jet.

- **5.2** Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

- 6.2 **Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains.
- 6.3 Methods and materials for containment and cleaning up Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 **Reference to other sections**

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

Components with workplace control parameters

| Component | CAS-No. | Value | Control parameters | Basis |
|----------------|---------|---|--------------------|--|
| Propionic acid | 79-09-4 | TWA | 10 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | 5 Upper Respiratory Tract irritation Eye irritation Skin irritation | | tation |

| TWA | 10 ppm 30 mg/m3 | USA. NIOSH Recommended Exposure Limits |
|-----|--------------------|--|
| ST | 15 ppm 45 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| PEL | 10 ppm 30 mg/m3 | California permissible exposure limits for chemical contaminants (Title 8, Article 107) |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 41 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.2

density

9.1 Information on basic physical and chemical properties

| | • | , , , |
|-----|--|---|
| a) | Appearance | Form: liquid, clear Colour: colourless |
| b) | Odour | No data available |
| c) | Odour Threshold | No data available |
| d) | рН | 2.5 at 100 g/l at 20 °C (68 °F) |
| e) | Melting point/freezing point | Melting point/range: -24 °C (-11 °F) - lit. |
| f) | Initial boiling point and boiling range | 141 °C 286 °F - lit. |
| g) | Flash point | 54 °C (129 °F) - closed cup |
| h) | Evaporation rate | No data available |
| i) | Flammability (solid, gas) | No data available |
| j) | Upper/lower flammability or explosive limits | Upper explosion limit: 12.1 %(V) Lower explosion limit: 2.9 %(V) |
| k) | Vapour pressure | 3.2 hPa at 20 °C (68 °F) |
| I) | Vapour density | 2.56 - (Air = 1.0) |
| m) | Relative density | 0.993 g/mL at 25 °C (77 °F) |
| n) | Water solubility | soluble |
| o) | Partition coefficient: n-octanol/water | log Pow: 0.25 |
| p) | Auto-ignition temperature | 440 °C (824 °F) at 1,013 hPa |
| q) | Decomposition temperature | No data available |
| r) | Viscosity | No data available |
| s) | Explosive properties | No data available |
| t) | Oxidizing properties | No data available |
| Otl | her safety informatio | n |
| | Surface tension | 27.21 mN/m at 15 °C (59 °F) |
| | Dissociation constant | 4.88 |
| | | |

Relative vapour 2.56 - (Air = 1.0)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** No data available
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials** Strong oxidizing agents

10.6 Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 3,455.1 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - male and female - 4 h - > 20 mg/l (OECD Test Guideline 403) LD50 Dermal - Rat - female - 3,235 mg/kg (OECD Test Guideline 402) LD50 Parenteral - Rat - 3,500 mg/kg

Skin corrosion/irritation

Skin - Rabbit Result: Causes burns.

Serious eye damage/eye irritation

Eyes - Rabbit Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation No data available

Germ cell mutagenicity

reverse mutation assay S. typhimurium Result: negative OECD Test Guideline 474 Hamster - male and female Result: negative

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

Reproductive toxicity

No data available No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard No data available

Additional Information

Repeated dose toxicity - Mouse - female - Lowest observed adverse effect level - 136.9 mg/kg RTECS: UE595000

May cause an asthmatic-like bronchitis., Nausea, Dizziness, Headache, Blood disorders, May cause irritation to eyes and respitatory passages to workers briefly exposed to high concentrations

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence Liver - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity No data available

- **12.2 Persistence and degradability** Biodegradability aerobic - Exposure time 20 d Result: 93 % - Readily biodegradable.
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

| CTION 14: Transport information | | |
|---|-------------------|------------------|
| DOT (US) UN number: 3463 Class: 8 (3) Proper shipping name: Propionic acid Reportable Quantity (RQ): 5000 lbs Poison Inhalation Hazard: No | Packing group: II | |
| IMDG UN number: 3463 Class: 8 (3) Proper shipping name: PROPIONIC ACID | Packing group: II | EMS-No: F-E, S-C |
| IATA UN number: 3463 Class: 8 (3) Proper shipping name: Propionic acid | Packing group: II | |

SECTION 15: Regulatory information

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

| Propionic acid | CAS-No. 79-09-4 | Revision Date 1993-02-16 |
|---|--------------------|-----------------------------|
| Pennsylvania Right To Know Components Propionic acid | CAS-No. 79-09-4 | Revision Date 1993-02-16 |
| Propionic acid | CAS-No. | Revision Date |

| New Jersey Right To Know Components | | |
|-------------------------------------|--------------------|-----------------------------|
| Propionic acid | CAS-No. 79-09-4 | Revision Date 1993-02-16 |

79-09-4

1993-02-16

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. CCS, LLC and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.