SAFETY DATA SHEET

Version 3.7 Revision Date 11/25/2017

1. PRODUCT AND COMPANY IDENTIFICATION			
1.1	Product identifiers Product name	E Propylene carbonate	
	Product Number Brand Index-No.	: 310328 : Sigma-Aldrich : 607-194-00-1	
	CAS-No.	: 108-32-7	
1.2	.2 Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	: Laboratory chemicals, Manufacture of substances	
1.3	Details of the supplier of Company	f the safety data sheet Consolidated Chemical & Solvents, LLC 2240 Spinnerstown Road Quakertown, PA 18951 	
	Telephone	: 215-538-4039	
1.4	4 Emergency telephone number		
	Emergency Phone #	: +1-703-527-3887 (CHEMTREC)	
2. HA	ZARDS IDENTIFICATION		
2.1	1 Classification of the substance or mixture		
	GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Eye irritation (Category 2A), H319		
	For the full text of the H-St	tatements mentioned in this Section, see Section 16.	
2.2	GHS Label elements, inc	luding precautionary statements	
	Pictogram		
	Signal word	Warning	
	Signal word Hazard statement(s) H319	Warning Causes serious eye irritation.	
	Hazard statement(s)	Causes serious eye irritation.	
2.3	Hazard statement(s) H319 Precautionary statement(s P264 P280 P305 + P351 + P338 P337 + P313	Causes serious eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
	Hazard statement(s) H319 Precautionary statement(s P264 P280 P305 + P351 + P338 P337 + P313	Causes serious eye irritation. Wash skin thoroughly after handling. Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. Iassified (HNOC) or not covered by GHS - none	

Synonyms : 1,2-Propanediol cyclic carbonate

Formula	:	C ₄ H ₆ O ₃
Molecular weight	:	102.09 g/mol
CAS-No.	:	108-32-7
EC-No.	:	203-572-1
Index-No.	:	607-194-00-1

Hazardous components

Component	Classification	Concentration
Propylene carbonate		
	Eye Irrit. 2A; H319	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

- **4.2** Most important symptoms and effects, both acute and delayed The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
- **4.3 Indication of any immediate medical attention and special treatment needed** No data available

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- 5.2 Special hazards arising from the substance or mixture Carbon oxides
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. For personal protection see section 8.
- 6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Moisture sensitive. Storage class (TRGS 510): Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 480 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

Splash contact Material: Nature latex/chloroprene Minimum layer thickness: 0.6 mm Break through time: 480 min Material tested:Lapren® (KCL 706 / Aldrich Z677558, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

a) b) c) d) e)	Appearance Odour Odour Threshold pH Melting point/freezing point	Form: liquid, clear Colour: colourless like fruit No data available 7 at 200 g/l at 20 °C (68 °F) Melting point/range: -55 °C (-67 °F) - lit.
c) d)	Odour Threshold pH Melting point/freezing point	No data available 7 at 200 g/l at 20 °C (68 °F)
d)	pH Melting point/freezing point	7 at 200 g/l at 20 °C (68 °F)
,	Melting point/freezing point	
(م	point	Melting point/range: -55 °C (-67 °F) - lit.
0)		
f)	Initial boiling point and boiling range	240 °C (464 °F) - lit.
g)	Flash point	116 °C (241 °F) - closed cup - DIN 51758
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 14.3 %(V) Lower explosion limit: 1.8 %(V)
k)	Vapour pressure	0.06 hPa (0.05 mmHg) at 25 °C (77 °F)
I)	Vapour density	No data available
m)	Relative density	1.189 g/mL at 25 °C (77 °F)
n)	Water solubility	175 g/l at 25 °C (77 °F) at 1,013 hPa (760 mmHg) - soluble
o)	Partition coefficient: n- octanol/water	log Pow: -0.409
p)	Auto-ignition temperature	No data available
q)	Decomposition temperature	350 °C (662 °F), 240 KJ/kg -
r)	Viscosity	No data available
s)	Explosive properties	Not explosive
t)	Oxidizing properties	No data available
Oth	er safety information	
	Dissociation constant	3.92 at 20 °C (68 °F)

10. STABILITY AND REACTIVITY

10.1 Reactivity

9.2

No data available

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid No data available

10.5 Incompatible materials Acids, Bases

10.6 Hazardous decomposition products Other decomposition products - No data available In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - > 5,000 mg/kg (OECD Test Guideline 401)

Inhalation: No data available

LD50 Dermal - Rabbit - > 2,000 mg/kg (OECD Test Guideline 402)

No data available

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (Draize Test)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. (OECD Test Guideline 405)

Respiratory or skin sensitisation

Patch test on human volunteers did not demonstrate sensitisation properties.

Germ cell mutagenicity

Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Animal testing did not show any mutagenic effects.

Carcinogenicity

- IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

Did not show teratogenic effects in animal experiments.

Animal testing did not show any effects on fertility.

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard No data available

No data available

Additional Information

RTECS: FF9650000

Nausea, Headache, Vomiting, Central nervous system depression, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish	semi-static test LC50 - Cyprinus carpio (Carp) - > 1,000 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 1,000 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - > 900 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC10 - Pseudomonas putida - 7,400 mg/l - 16 h (DIN 38 412 Part 8)

12.2 Persistence and degradability

Biodegradability Result: > 90 % - Readily biodegradable.

12.3 Bioaccumulative potential No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

12.6 Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

ΙΑΤΑ

Not dangerous goods

15. REGULATORY INFORMATION

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Acute Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Propylene carbonate	CAS-No. 108-32-7	Revision Date
New Jersey Right To Know Components		
	CAS-No.	Revision Date
Propylene carbonate	108-32-7	

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3.

Eye Irrit.	Eye irritation
H319	Causes serious eye irritation.
HMIS Rating Health hazard: Chronic Health Haz Flammability: Physical Hazard	2 ard: 1 1
NFPA Rating Health hazard: Fire Hazard: Reactivity Hazard:	2 1 0

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. CCS, LLC and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.